## Message

From: Esposito, Karen [esposito.karen@epa.gov]

**Sent**: 10/29/2020 1:20:45 PM

**To**: Wagner, Christine [Wagner.Christine@epa.gov]

CC: McCauley, Joanna [McCauley.Joanna@epa.gov]; Cooper, TiffanyD [Cooper.TiffanyD@epa.gov]

**Subject**: FW: Disputed Costs Shiloh Church Road Removal Invoice 8/22-9/24/20 **Attachments**: Shiloh Church Road\_suspended costs\_response to comments.xlsx

Chris:

Please let me know if these explanations are acceptable. If you still disagree, or need more info, we should pursue that now.

Thank you,

## Karen Esposito

Project Officer, START
Program Support Section (3SD42)
Program Support and Cost Recovery Branch
Superfund Emergency Management Division
EPA -Region III Philadelphia, PA
215-814-2336 (office)



From	Nonresponsive ba	sed on revised scope		
Sent: Wednesday, October 28, 2020 4:39 PM				
To: Wagner, O	Christine < Wagner. Chr	istine@epa.gov>;	Nonresponsive based on revised scope	
Nonresponsive	based on revised scope		[	
' <b>uc:</b> Esposito, i	karen <esposito.karen< td=""><td>@epa.gov&gt;; McCauley, Joanna</td><td>a <mccauley.joanna@epa.gov>; Mazzeo,</mccauley.joanna@epa.gov></td></esposito.karen<>	@epa.gov>; McCauley, Joanna	a <mccauley.joanna@epa.gov>; Mazzeo,</mccauley.joanna@epa.gov>	
Nonresponsive	based on revised scope			

Subject: RE: Disputed Costs Shiloh Church Road Removal Invoice 8/22-9/24/20

Tetra Tech will issue a credit in reference to Shiloh. The attached (1) includes our response to comments along with the credit breakdown. Feel free to give us a call with any questions.

Thank you,

## Nonresponsive based on revised scope

Tetra Tech | EMI Division | 240 Continental Dr., Suite 200, Newark, DE 19713 | www.tetratech.com

Please contact me with any questions at 804-337-3049

Thank you Chris

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: Wagr	ner, Christine < <u>Wagner.Christine@epa.gov</u> >
Sent: Mond	av, October 26, 2020 12:42 PM
То:	Nonresponsive based on revised scope
Cc: Nonr	esponsive based on revised scope [sposito, Karen <esposito.karen@epa.gov>; McCauley, Joanna</esposito.karen@epa.gov>
<mccauley.j< td=""><td>oanna@epa.gov&gt;</td></mccauley.j<>	oanna@epa.gov>
Subject: Dis	puted Costs Shiloh Church Road Removal Invoice 8/22-9/24/20
	, , ,
<b>△ CAUTI</b>	<b>ON:</b> This email originated from an external sender. Verify the source before opening links or attachments. $igwedge$
Good Afte	rnoon Norresponsive based on revised scope
see the at	sputing some of the costs on the Shiloh Church Road Removal Invoice 8/22-9/25. Please tached file. Please try to provide justifications and/or credits to the invoice by COB